


Description

Equipped with direct-drive, high-torque hydraulic motor. These low maintenance attachments efficiently mill asphalt or concrete. Planers feature hydraulic side-shift for planing close to walls and curbs. Consistent depth control and ski depth visible from the operator's seat. Make precise adjustments with fingertip controls.

Dimensions



Description	Item number	Overall length (A) (mm)	Overall width (B) (mm)	Overall height (C) (mm)
Planer 35 cm (Equipped with 35 cm All Purpose Drum)	PLN14*14AP	-	-	-
Planer 46 cm (Equipped with 46 cm Fast Cut Drum)	PLN18*18FC	-	-	-
Planer 46 cm (Without Drum)	PLN18*NODRUM	-	-	-
Planer 61 cm (Equipped with 61 cm Fast Cut Drum)	PLN24*24FC	-	-	-
Planer 61 cm (Without Drum)	PLN24*NODRUM	-	-	-
Self Leveling Planer 45 cm	7221391	1179.0	1732.0	964.0
Self Leveling Planer 60 cm	7221392	1241.0	1732.0	982.0
Self leveling Planer 100 cm	6726632	1118.0	1727.0	813.0
Self Leveling Planer 100 cm with 60 (fixed)/40 (removable) drum	1111142	-	-	-

Weights

Description	Item number	Operating weight (kg)	Shipping weight (kg)
Planer 35 cm (Equipped with 35 cm All Purpose Drum)	PLN14*14468.0	660.0	660.0
Planer 46 cm (Equipped with 46 cm Fast Cut Drum)	PLN18*18668.0	668.0	668.0
Planer 46 cm (Without Drum)	PLN18*NO DRUM	539.0	539.0
Planer 61 cm (Equipped with 61 cm Fast Cut Drum)	PLN24*24731.0	731.0	731.0
Planer 61 cm (Without Drum)	PLN24*NO DRUM	56.0	56.0
Self Leveling Planer 45 cm	7221391	790.0	790.0
Self Leveling Planer 60 cm	7221392	950.0	950.0
Self leveling Planer 100 cm	6726632	1043.0	1087.0
Self Leveling Planer 100 cm with 60 (fixed)/40 (removable) drum	1111142	1043.0	1043.0

Characteristics and performance

Description	Item number	Maximum cutting width (mm)	Cutting depth (with std drum) (mm)	Max. cutting angle $\pm$ (°)	Side shift (mm)	Planing distance next to curb (mm)
Planer 35 cm (Equipped with 35 cm All Purpose Drum)	PLN14*14468.0	350.0	150.0	15.0	750.0	-
Planer 46 cm (Equipped with 46 cm Fast Cut Drum)	PLN18*18668.0	460.0	150.0	15.0	750.0	-
Planer 46 cm (Without Drum)	PLN18*NO DRUM	460.0	150.0	15.0	750.0	-
Planer 61 cm (Equipped with 61 cm Fast Cut Drum)	PLN24*24731.0	610.0	150.0	15.0	750.0	-
Planer 61 cm (Without Drum)	PLN24*NO DRUM	610.0	150.0	15.0	750.0	-
Self Leveling Planer 45 cm	7221391	450.0	150.0	15.0	650.0	65.0
Self Leveling Planer 60 cm	7221392	600.0	170.0	15.0	650.0	65.0
Self leveling Planer 100 cm	6726632	1020.0	130.0	8.0	650.0	65.0

Description	Item number	Maximum cutting width (mm)	Cutting depth (with std drum) (mm)	Max. cutting angle $\pm$ (°)	Side shift (mm)	Planing distance next to curb (mm)
Self Leveling Planer 100 cm with 60 (fixed)/40 (removable) drum	1111142	1020.0	130.0	8.0	650.0	65.0

Main features

- Top access panel—for easier bit service and maintenance.
- Side cutting bits—to decrease drum binding in the cut and to produce a vertical edge for improving the joint bond between a new layer of asphalt and the existing layer.
- Hydraulic side-shift—for planing close to walls and curbs, and to easily reposition the drum for another pass.
- Oscillating planer housing—for planing sloping surfaces or to match two uneven surfaces.
- Rear frame wheels—to provide support and reduce tire bounce while planing.
- Direct-drive high torque motors—for low maintenance and high efficiency.
- Bob-Tach™ mounting system with quick-connect controls—for fast, easy attachment changes.

Applications

- Road work, Recycling and Cleaning

Loader Compatibility

Description	Item number	Compatible with loader	Functional requirements
Planer 35 cm (Equipped with 35 cm All Purpose Drum)	PLN14*1444	A770-B	-
Planer 46 cm (Equipped with 46 cm Fast Cut Drum)	PLN18*1870	A770-B	-
Planer 46 cm (Without Drum)	PLN18*NO DRUM	A770-B	-
Planer 61 cm (Equipped with 61 cm Fast Cut Drum)	PLN24*2470	A770-B	-
Planer 61 cm (Without Drum)	PLN24*NO DRUM	A770-B	-
Self Leveling Planer 45 cm	7221391	T590E IIIB, T590B iT4, T650E iT4, T650B iT4, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S530E V, T590E V, S66, S76, T66, T76, S530B, S630B iT4, S650B iT4	-

Description	Item number	Compatible with loader	Functional requirements
Self Leveling Planer 60 cm	7221392	A770-B, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S530E V, T590E V, S66, S76, T66, T76, S530B, S630B iT4, S650B iT4	-
Self leveling Planer 100 cm	6726632	A770-B, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S76, T76, S630B iT4, S650B iT4	-
Self Leveling Planer 100 cm with 60 (fixed)/40 (removable) drum	1111142	A770-B, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, T870E IV, T870B T3, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, S850E IV, S850E T3, S850B T3, A770E IV, S76, T76, S630B iT4, S650B iT4	-

Accessories For Loader-Compatible Attachments

Description	Item number	Compatible with attachment	Functional requirements
Guide Rod Kit for Planer 14in/36cm	6905975	PLN14*14AP Planer 35cm (equipped with 35cm All Purpose Drum)	-
Drum 14in/36cm - All Purpose	6905404	PLN14*14AP Planer 35cm (equipped with 35cm All Purpose Drum)	-
Guide Rod Kit for Planer 18in/46cm	6716451	PLN18*18FC Planer 46cm (equipped with 46cm Fast Cut Drum), PLN18*NODRUM Planer 46cm (without Drum)	-
Drum 18in/46cm - Fast Cut	7165505	PLN18*18FC Planer 46cm (equipped with 46cm Fast Cut Drum), PLN18*NODRUM Planer 46cm (without Drum)	-
Drum 18in/46cm - Smooth Cut	7165506	PLN18*18FC Planer 46cm (equipped with 46cm Fast Cut Drum), PLN18*NODRUM Planer 46cm (without Drum)	-

Description	Item number	Compatible with attachment	Functional requirements
Drum 24in/61cm - Smooth Cut	7165544	PLN24*24FC Planer 61cm (equipped with 61cm Fast Cut Drum), PLN24*NODRUM Planer 61cm (without Drum)	-
Drum 24in/61cm - Fast Cut	6958266	PLN24*24FC Planer 61cm (equipped with 61cm Fast Cut Drum), PLN24*NODRUM Planer 61cm (without Drum)	-
Guide Rod Kit for Planer 24i/61cm	7255036	PLN24*24FC Planer 61cm (equipped with 61cm Fast Cut Drum), PLN24*NODRUM Planer 61cm (without Drum)	-
GUIDE ROD KIT for Self Levelling Planers	7244907	7221392 Self Levelling Planer 60cm, 1111142 Planer 100cm with 60 (fixed)/40(removable) Drum	-

BE OM **EN OFFERT**

Klicka bara på **knappen** eller skanna **QR-koden** nedan för åtkomst till vårt offertformulär.

Vi kontaktar dig så snart som möjligt. Tack!



BEGÄR OFFERT

