


## Description

This versatile tool can be used for a variety of jobs ranging from light to high-production trenching. Digging depths range from 60 cm to 1.5 m. The sideshift feature lets you get close to walls or fences.

## Dimensions



| Description                      | Item number       | Overall length (A) (mm) | Overall width (B) (mm) | Overall height (C) (mm) |
|----------------------------------|-------------------|-------------------------|------------------------|-------------------------|
| Trencher LT112 w/ Chain Complete | TRN112X2X4*851579 | 1342.0                  | 914.0                  | -                       |
| Trencher LT113 w/ Chain Complete | TRN113X3X4*851581 | 1388.0                  | -                      | -                       |
| Trencher LT213 w/ Chain Complete | TRN213X3X4*851583 | 1422.0                  | 1422.0                 | -                       |

| Description                       | Item number   | Overall length (A) (mm) | Overall width (B) (mm) | Overall height (C) (mm) |
|-----------------------------------|---------------|-------------------------|------------------------|-------------------------|
| Trencher LT313 w/ Chain Complete  | TRN313X425785 | 2278.0                  | 1422.0                 | -                       |
| Trencher LT405 w/ Chain w/o Teeth | 6906100       | 2820.0                  | 1651.0                 | -                       |
| Trencher LT414 w/ Chain Complete  | TRN414X526425 | 2642.0                  | 1429.0                 | -                       |
| Trencher, MX112 (Non-CE)          | 6959136       | -                       | -                      | -                       |

## Weights

| Description                       | Item number   | Operating weight (kg) | Shipping weight (kg) |
|-----------------------------------|---------------|-----------------------|----------------------|
| Trencher LT112 w/ Chain Complete  | TRN112X227985 | 279.0                 | 279.0                |
| Trencher LT113 w/ Chain Complete  | TRN113X329085 | 290.0                 | 290.0                |
| Trencher LT213 w/ Chain Complete  | TRN213X332985 | 329.0                 | 329.0                |
| Trencher LT313 w/ Chain Complete  | TRN313X446185 | 444.0                 | 444.0                |
| Trencher LT405 w/ Chain w/o Teeth | 6906100       | 689.0                 | 689.0                |
| Trencher LT414 w/ Chain Complete  | TRN414X555685 | 556.0                 | 556.0                |
| Trencher, MX112 (Non-CE)          | 6959136       | 258.0                 | 258.0                |

## Characteristics and Performance

| Description                       | Item number   | Digging depth (mm) | Trench width (mm) | Boom length (mm) | Required hydraulic flow (L/min) | Side shift (mm) |
|-----------------------------------|---------------|--------------------|-------------------|------------------|---------------------------------|-----------------|
| Trencher LT112 w/ Chain Complete  | TRN112X227985 | 200.0              | 101.0-203.0       | 1000.0           | 34.0-57.0                       | 409.0           |
| Trencher LT113 w/ Chain Complete  | TRN113X329085 | 200.0              | 101.0-203.0       | 1334.0           | 34.0-57.0                       | 409.0           |
| Trencher LT213 w/ Chain Complete  | TRN213X332985 | 300.0              | 101.0-203.0       | 1334.0           | 42.0-68.0                       | 587.0           |
| Trencher LT313 w/ Chain Complete  | TRN313X446185 | 120.0              | 152.0-305.0       | 1664.0           | 57.0-83.0                       | 587.0           |
| Trencher LT405 w/ Chain w/o Teeth | 6906100       | 1219.0             | 152.0-305.0       | 1600.0           | 98.0-151.0                      | 660.0           |
| Trencher LT414 w/ Chain Complete  | TRN414X555685 | 1578.0             | 152.0-305.0       | 2011.0           | 98.0-151.0                      | 554.0           |
| Trencher, MX112 (Non-CE)          | 6959136       | 600.0              | 101.0-203.0       | 1000.0           | 49.0-75.0                       | -               |

## Main features

- Designed and built specifically for Bobcat® loaders.
- Hydraulic side shift capability to trench close to buildings, fences or other objects. Get even closer by removing the auger.
- Changing to a trencher attachment is quick and easy with the Bob-Tach™ mounting system.

## Applications

- Agriculture
- Construction and Demolition
- Landscaping
- Road work, Recycling and Cleaning

## Loader Compatibility

| Description                       | Item number    | Compatible with loader                                                                                                                                                                                                                                                                         | Functional requirements |
|-----------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| Trencher LT405 w/ Chain w/o Teeth | 6906100        | A770-B, T590E IIIB, T590B iT4, T650E iT4, T650B iT4, T770E IV, T770E T3, T770B T3, S530E IIIA, S530B, S550E IIIB, S550B iT4, S570B iT4, S590E IIIB, S590B iT4, S630E iT4, S630B iT4, S770E IV, S770E T3, S770B T3, A770E IV, S530E V, T590E V, S66, S76, T66, T76, S530B, S630B iT4, S650B iT4 | -                       |
| Trencher LT414 w/ Chain Complete  | TRN414X5467053 | A670B 587                                                                                                                                                                                                                                                                                      | -                       |

## Excavator Compatibility

| Description              | Item number | Compatible with excavator | Functional requirements |
|--------------------------|-------------|---------------------------|-------------------------|
| Trencher, MX112 (Non-CE) | 6959136     | E37 (non EU)              | -                       |

# BE OM **EN OFFERT**

Klicka bara på **knappen** eller skanna **QR-koden** nedan för åtkomst till vårt offertformulär.

Vi kontakter dig så snart som möjligt. Tack!



**BEGÄR OFFERT**

